Beginning with Model Year 2010, a 3-dimensional (3D) image of selected components in the Service Parts List is available. This 3D image will be displayed in a separate window and can be rotated to see all sides, top and bottom. Note that not all components are available and some components, like decals, will only show an outline of the shape of the component.

In order to view the 3D image, you need to do a one-time installation of the JT2GO software. A button has been placed on the main Service Parts List window (see Figure 1) for easy installation of the software.

To install the software, click on the TIGOSetup button (1). This will download and install the JT2GO software. Use the default setup options when installing. The first time you view a 3D image, you will get a registration screen. If you do not wish to register, you may skip this registration process. Note that you must have administrator rights on your computer to install the JT2GO software.

WINNEBAGO Service Parts List
To find a given motor home, please choose the year, type in unit Serial Number, and click on Search.
Select Model Year © 2001 © 2002 © 2003 © 2004 © 2005 © 2006 © 2007 © 2008 © 2009 © 2010
Enter 5 Digit Serial Number. Search Clear 3
If you receive an invalid URL screen after doing a search, it is due to one of the following:
1. Serial Number of unit is invalid.
2. Serial Number is valid but the incorrect year is chosen.
3. Service Parts List for a given unit Serial Number has not been created yet.
1 Ξητ2GoSetup
[Click the above button to download and install the free JT2GO program to your Windows (XP or Vista) based computer (You must have Admin rights to install). This program will allow you to view a 3D model of selected parts.] Copyright © 2009 Winnebago Industries, Inc.

Figure 1

When you access the Service Parts List webpage (See Figure 1), the model year (2) and last 5 digits of the unit serial number (3) are entered as usual. Once the "Search" button is pressed, you will see your unit document (See Figure 2). There are several items to note at this point:

- The "MFG DATE" for this unit is now displayed at each page break (4).
- The unit interior Color Code is listed (5).
- There is a list of all factory installed optional features this unit is built with (6).
- There is a paragraph briefly explaining JT2Go with a link that opens the previous menu (in a separate window) to access the JT2GoSetup button (7).
- Within the parts listing, some part numbers are displayed in color (usually blue) and underlined (8). This indicates the part is available for viewing in the JT2Go system.

10L6	NEBAGO SERVICE PART ALPHA LIST 5000 WDH25T MFG DATE: 08/11/09							
OPT	DESC	OPT			DE	SC		
AN6	BOMBAY/TAUPE/SUNSET CHERRY	094	WINDO	WS - SE-GI				
23T	drainage system-heated 5	24P	MASK F	ASK FRONT EXT PROTECTIVE				
29B	WATER PURIFIER	29P	AC HEAT	C HEAT PUMP-HI EFF, LOW PFL				
45K	FLEX BED KIT	48E	POWER	OWER VENTILATOR-BATH				
48Q	SATELLITE TV SYSTEM MANUAL	54W	WHEELS	-STYLIZED ALU	MIN	JM		
64R	EXTERIOR WASH STATION	70C	RADIO -	SATELLITE				
75Y	APPLIQUE - INSTRUMENT PANEL	92A	FBP NIG	HT GOLD				
*** Un will ne on the	derlined Part Numbers contain a link that will allow you to view a 3D mo ed to do a "one time" installation of the JT2GO program on your comput <u>Service Parts List Menu (</u> use the default setup options).	del of th er (Wind 7	e part using lows Only)	g the free program " . To start the install	'JT2G ation,	O". In click t	order to utilize th ne JT2GO Setup	is feature, you button located
** Un will ne on the	derlined Part Numbers contain a link that will allow you to view a 3D mo ed to do a "one time" installation of the JT2GO program on your comput <u>Service Parts List Menu (</u> use the default setup options). SERVICE	odel of th er (Wind 7	e part using lows Only)	g the free program " . To start the install ** PART	'JT2G ation, UM	O". In click t	order to utilize th ne JT2GO Setup	is feature, you button located
*** Un will ne on the *LAT	derlined Part Numbers contain a link that will allow you to view a 3D mo ed to do a "one time" installation of the JT2GO program on your comput <u>Service Parts List Menu</u> (use the default setup options). SERVICE FCH/PADDLE - ENTRY DOOR - W/O LOCK CYLINDER - BLAC	del of th er (Wind 7 K	e part using lows Only)	g the free program " . To start the install ** PART <u>169380-05-01A</u>	JT2G ation, UM EA	O". In click t QTY 1	order to utilize th he JT2GO Setup ROTOR #1693	is feature, you button located 80-06/07-01 <i>1</i>
** Un will ne on the *LAT	derlined Part Numbers contain a link that will allow you to view a 3D mo ed to do a "one time" installation of the JT2GO program on your comput <u>Service Parts List Menu (</u> use the default setup options). SERVICE ICH/PADDLE - ENTRY DOOR - W/O LOCK CYLINDER - BLAC ROOF - LOW PROFILE/HEAT PUMP - BLACK - RVP 9003C879	del of th er (Wind 7 K	e part using lows Only)	the free program " . To start the install ** PART <u>169380-05-01A</u> 148644-02-02A	JT2G ation, UM EA EA	O". In click t	order to utilize th he JT2GO Setup ROTOR #1693	is feature, you button located 80-06/07-014
** Un will ne on the *LAT A/C-: ADA	derlined Part Numbers contain a link that will allow you to view a 3D mo ed to do a "one time" installation of the JT2GO program on your comput <u>Service Parts List Menu (</u> use the default setup options). SERVICE ICH/PADDLE - ENTRY DOOR - W/O LOCK CYLINDER - BLAC ROOF - LOW PROFILE/HEAT PUMP - BLACK - RVP 9003C879 PTER - CABLE	del of th er (Wind 7 K	e part using lows Only)	the free program " . To start the install 	JT2G ation, UM EA EA EA	O". In click t	order to utilize th ne JT2GO Setup ROTOR #1693	is feature, you button located 80-06/07-014
** Un will ne on the *LAT A/C-: ADA ADA	derlined Part Numbers contain a link that will allow you to view a 3D mo ed to do a "one time" installation of the JT2GO program on your comput Service Parts List Menu (use the default setup options). SERVICE ICH/PADDLE - ENTRY DOOR - W/O LOCK CYLINDER - BLAC ROOF - LOW PROFILE/HEAT PUMP - BLACK - RVP 9003C879 PTER - CABLE PTER - FLARE - W/CONE GASKET - 3/8"F X 1/2"F	del of th er (Wind 7 K	e part using lows Only)	the free program " To start the install ** PART <u>169380-05-01A</u> <u>148644-02-02A</u> 172120-08-000 <u>010326-01-000</u>	JT2G ation, EA EA EA EA	O". In click t QTY 1 1 1 1	order to utilize th ne JT2GO Setup ROTOR #1693	is feature, you button located 80-06/07-01 <i>4</i>
** Un will ne on the *LAT A/C-: ADA ADA	derlined Part Numbers contain a link that will allow you to view a 3D mo ed to do a "one time" installation of the JT2GO program on your comput Service Parts List Menu (use the default setup options). SERVICE TCH/PADDLE - ENTRY DOOR - W/O LOCK CYLINDER - BLAC ROOF - LOW PROFILE/HEAT PUMP - BLACK - RVP 9003C879 PTER - CABLE PTER - FLARE - W/CONE GASKET - 3/8"F X 1/2"F PTER - HOSE TO PIPE - 3/8"MPT X 3/8"BARB - PLASTIC	del of th er (Wind 7 K	e part using lows Only)	the free program " To start the install ** PART 169380-05-01A 148644-02-02A 172120-08-000 010326-01-000 010224-01-000	JT2G ation, EA EA EA EA EA	O". In click t 1 1 1 2	order to utilize th he JT2GO Setup ROTOR #1693	is feature, you button located 80-06/07-014
** Un will ne on the *LAT A/C-: ADA ADA ADA	derlined Part Numbers contain a link that will allow you to view a 3D moded to do a "one time" installation of the JT2GO program on your comput Service Parts List Menu (use the default setup options). SERVICE TCH/PADDLE - ENTRY DOOR - W/O LOCK CYLINDER - BLAC ROOF - LOW PROFILE/HEAT PUMP - BLACK - RVP 9003C879 PTER - CABLE PTER - FLARE - W/CONE GASKET - 3/8"F X 1/2"F PTER - HOSE TO PIPE - 3/8"MPT X 3/8"BARB - PLASTIC PTER - LOCK - 180 DEGREEE	del of th er (Wind 7 K	e part using lows Only)	the free program " To start the install ** PART <u>169380-05-01A</u> <u>148644-02-02A</u> 172120-08-000 <u>010326-01-000</u> <u>010224-01-000</u> <u>144474-01-000</u>	JT2G ation, EA EA EA EA EA EA	O". In click t 1 1 1 2 2	order to utilize th ne JT2GO Setup ROTOR #1693	is feature, you button located 80-06/07-01 <i>1</i>
** Un. on the *LAT A/C-: ADA ADA ADA ADA	derlined Part Numbers contain a link that will allow you to view a 3D moded to do a "one time" installation of the JT2GO program on your comput Service Parts List Menu (use the default setup options). SERVICE TCH/PADDLE - ENTRY DOOR - W/O LOCK CYLINDER - BLAC ROOF - LOW PROFILE/HEAT PUMP - BLACK - RVP 9003C879 PTER - CABLE PTER - FLARE - W/CONE GASKET - 3/8"F X 1/2"F PTER - HOSE TO PIPE - 3/8"MPT X 3/8"BARB - PLASTIC PTER - LOCK - 180 DEGREEE PTER - OFFSET REDUCER - 3" X 1 1/2" - PLASTIC	del of ther (Wind 7	e part using lows Only)	the free program " To start the install ** PART 169380-05-01A 148644-02-02A 172120-08-000 010326-01-000 010224-01-000 144474-01-000 062422-01-000	JT2G ation, EA EA EA EA EA EA EA	O". In click t 1 1 1 1 2 2 1	order to utilize th ne JT2GO Setup ROTOR #1693	is feature, you button located 80-06/07-01 <i>1</i>
*** Un. will new on the *LAT A/C-: ADA ADA ADA ADA ADA ADA	derlined Part Numbers contain a link that will allow you to view a 3D moded to do a "one time" installation of the JT2GO program on your comput Service Parts List Menu (use the default setup options). SERVICE TCH/PADDLE - ENTRY DOOR - W/O LOCK CYLINDER - BLAC ROOF - LOW PROFILE/HEAT PUMP - BLACK - RVP 9003C879 PTER - CABLE PTER - FLARE - W/CONE GASKET - 3/8"F X 1/2"F PTER - HOSE TO PIPE - 3/8"MPT X 3/8"BARB - PLASTIC PTER - LOCK - 180 DEGREEE PTER - OFFSET REDUCER - 3" X 1 1/2" - PLASTIC PTER - REDUCING - 1 1/2" X 1 1/4"	del of the er (Wind 7	e part using lows Only)	the free program " To start the install 169380-05-01A 148644-02-02A 172120-08-000 010326-01-000 010224-01-000 144474-01-000 062422-01-000 133835-01-000	UM EA EA EA EA EA EA EA EA EA	O". In click t 1 1 1 1 2 2 1 1	order to utilize th ne JT2GO Setup ROTOR #1693	is feature, you button located 80-06/07-01 <i>1</i>
*** Un. will ne on the *LAT A/C-: ADA ADA ADA ADA ADA ADA ADA	derlined Part Numbers contain a link that will allow you to view a 3D moded to do a "one time" installation of the JT2GO program on your comput Service Parts List Menu (use the default setup options). SERVICE TCH/PADDLE - ENTRY DOOR - W/O LOCK CYLINDER - BLAC ROOF - LOW PROFILE/HEAT PUMP - BLACK - RVP 9003C879 PTER - CABLE PTER - FLARE - W/CONE GASKET - 3/8"F X 1/2"F PTER - HOSE TO PIPE - 3/8"MPT X 3/8"BARB - PLASTIC PTER - LOCK - 180 DEGREEE PTER - OFFSET REDUCER - 3" X 1 1/2" - PLASTIC PTER - REDUCING - 1 1/2" X 1 1/4" PTER - STRAIGHT - 1/2" QUICK CONNECT X 1/2"FPT/SWIVEL	del of ther (Wind 7	e part using lows Only)	the free program " To start the install ** PART 169380-05-01A 148644-02-02A 172120-08-000 010326-01-000 010224-01-000 144474-01-000 062422-01-000 13835-01-000 164907-02-000	UT2G ation, EA EA EA EA EA EA EA EA	O". In click t 1 1 1 1 2 2 1 1 6	order to utilize th ne JT2GO Setup ROTOR #1693	is feature, you button located 80-06/07-01 <i>1</i>

Figure 2

To view the 3D image, just click on a linked Part Number. The following screen will appear (see Figure 3). If you uncheck the "*Always ask before opening this type of file*" box (1) it will skip this step in the future. Click "*Open*" (2) to continue.

File Dov	vnload 🛛 🔀						
Do yo ι	Do you want to open or save this file?						
2	Name: 14864402.jt Type: DirectModel Document (.jt), 13.8MB 2 From: dealer.winnebagoind.com Open Save Cancel						
Alwa	ays ask before opening this type of file						
0	While files from the Internet can be useful, some files can potentially harm your computer. If you do not trust the source, do not open or save this file. What's the risk?						

Figure 3

Once JT2GO has loaded, it will display a 3D image of the part you selected in a separate window (see Figure 4). You can rotate and maneuver this image to see all sides, top or bottom.

- » Hold the left mouse button down and move the mouse around to rotate the image
- » Hold the middle mouse button down and move the mouse to move the image
- » Use the roller ball to zoom in and out



Figure 4